

Questionnaire: Deploying in a Customer-Controlled Region with On-Premises Kubernetes

This questionnaire is specific to deployments of SAP Integration Suite, advanced event mesh in Customer-Controlled Regions using On-Premises Kubernetes. For questions related to deployments for Dedicated Regions, see [Questionnaire: Deploying in a Dedicated Region](#).

Deploying advanced event mesh for SAP Integration Suite can require planning and coordination across different teams. It's important that you plan and design your deployment to ensure the long-term success of your system. The following questions are designed to uncover the configuration information needed to create your event broker services properly. To help make your deployment go quickly and smoothly, carefully research and plan your decisions around these questions.

To begin your planning, we have produced a questionnaire to help identify critical information required for a successful deployment, including:

- questions common to deployments in all Kubernetes implementations, including queries about your cluster, Operational Connectivity, Messaging Connectivity, and feature requirements.
- questions specific to the implementation of Kubernetes you have chosen for your Customer-Controlled Region, including queries about your cluster, Messaging Connectivity, and storage.

The answers to these questions help SAP determine how to configure the Mission Control Agent to create event broker services in your cluster.

After you have finished the common questions, you must answer the questions that are specific to your Kubernetes implementation. If you intend to use multiple implementations, you must complete a questionnaire for each Kubernetes implementation:

- [Amazon Elastic Kubernetes Service Questions](#)
- [Google Kubernetes Engine Questions](#)
- [Azure Kubernetes Service Questions](#)
- [Alibaba Cloud Container Service for Kubernetes Questions](#)

- [Huawei Cloud Container Engine Questions](#)
- [On-Premises Questions](#)

Common Deployment Questions

This section contains questions about the following common deployment factors:

- [Cluster](#)
- [Operational Connectivity](#)
- [Messaging Connectivity](#)
- [Features](#)
- [Contact Information](#)

Cluster

You must answer the following questions about your cluster.

Question	Possible Answers	How SAP Uses This Information	Links to Related Documentation
Do you have an existing cluster (or a defined specification for a new cluster), or do you require an architecture example to start from?	<p>I have an existing cluster (or clusters) or intend to create new clusters based on existing specification.</p> <p>or</p> <p>I would like a best practice architecture example to start from.</p>	<p>SAP's best practices documentation provides descriptions of how best to label and taint worker nodes with the correct resource requirements for the service classes that are supported in advanced event mesh.</p> <p>If you have an existing cluster, you can use our best practices documentation to understand how to modify your cluster, and how to provide SAP with the node selectors and tolerations we need to deploy event broker services in your cluster.</p> <p>We provide reference Terraform projects</p>	<p>Support for nodeSelector, Taints, and Tolerations</p> <p>Resource Requirements for Kubernetes</p>

Question	Possible Answers	How SAP Uses This Information	Links to Related Documentation
		<p>for deploying a Kubernetes cluster to AKS, EKS, and GKE. These Terraform projects have the recommended configuration settings, such as worker node sizes, resource configurations, taints, and labels optimized to install advanced event mesh. For other cloud providers or on-premises deployments, we can provide documentation that describes our best practices.</p> <p>You can download the reference Terraform projects from the following GitHub repository: https://github.com/SolaceLabs/customer-controlled-region-reference-architectures</p> <p>Beware that all sample scripts, Terraform modules, and examples are provided as-is. You can modify the files as required and are responsible for maintaining the modified files for your Kubernetes cluster.</p>	
<p>Will the cluster be used exclusively for advanced event mesh or will it be shared with other applications or workloads?</p>	<p>Exclusive or Shared</p>	<p>Providing this information allows SAP to understand the architecture of your cluster so we can better suggest changes that may help the operation of advanced event mesh in your cluster.</p>	<p>Deployment Architecture for Kubernetes</p> <p>Resource Requirements for Kubernetes</p>
<p>Is the Kubernetes version of your cluster supported by</p>	<p>Yes or No</p>	<p>Only supported Kubernetes versions are tested and guaranteed to work with advanced event mesh.</p>	<p>Supported Kubernetes Versions</p>

Question	Possible Answers	How SAP Uses This Information	Links to Related Documentation
advanced event mesh?		If you use a different implementation of Kubernetes, contact SAP to find out how we can support your deployment.	
What is the cluster domain for your Kubernetes cluster?		This is typically <code>cluster.local</code> , but your Kubernetes administrator can configure it to be something else. SAP requires this information to properly configure the Mission Control Agent.	DNS for Services and Pods in the Kubernetes documentation
Are there any custom node selectors or tolerations required to successfully schedule the Mission Control Agent or event broker service pods? If so, what are they?		If it varies from our best practices, SAP requires this information to ensure that the event broker service pods are scheduled successfully.	Support for nodeSelector, Taints, and Tolerations
Are there any custom labels that must be applied to the Mission Control Agent or event broker service pods? If so, what are they?		SAP supports only fixed labels that can be applied to the Mission Control Agent or event broker services. We don't support dynamic labels.	Support for nodeSelector, Taints, and Tolerations
What geographic loc-		Advanced event mesh produces diagnostic logs that are pushed to an	S3 Bucket Names for Gathered Dia-

Question	Possible Answers	How SAP Uses This Information	Links to Related Documentation
<p>ations will the clusters reside in?</p> <p>For clusters in the cloud, provide a list of regions.</p> <p>For on-premises clusters provide a list of countries or regions.</p>		<p>AWS S3 bucket for use by SAP. We use S3 buckets that are geographically close to the deployment to optimize retrieval.</p>	<p>gnostics</p>
<p>Does your cluster have any Pod Security Policies?</p> <p>Do you use a Policy Controller (for example, Gatekeeper) to enforce security in your cluster? If so, do any of these policies affect the operation of advanced event mesh in your cluster?</p>		<p>Policy controllers like Gatekeeper can enforce security policies in a cluster, such as required labels, a restricted set of container registry images, and so on.</p> <p>In most cases, advanced event mesh can be configured to meet these requirements.</p>	<p>Support for nodeSelector, Taints, and Tolerations</p> <p>Connectivity Model for Kubernetes Deployments</p>
<p>Does your</p>		<p>Your cluster must have sufficient resource to successfully create event broker ser-</p>	<p>Resource Requirements for Kuber-</p>

Question	Possible Answers	How SAP Uses This Information	Links to Related Documentation
cluster enforce resource quotas? Have these quotas been updated to support the number of event broker services you expect to create in your cluster?		vice.	netes

Operational Connectivity

You must answer the following questions about your Operational Connectivity.

Question	Possible Answers	How SAP Uses This Information	Links to Related Documentation
Will you use access the Solace Container Registry directly or will you use a mirror?	Direct or Mirror	Advanced event mesh container images are provided in a private registry that can either be accessed directly or mirrored (for example using Nexus or Artifactory). Advanced event mesh cannot push images to a private	Connectivity Model for Kubernetes Deployments

Question	Possible Answers	How SAP Uses This Information	Links to Related Documentation
		<p>registry due to the frequency with which we publish and perform upgrades with new container images for our Mission Control Agent.</p>	
<p>If you are using a mirror container registry, what is its path?</p>	<p>For example, for container image <code>quay.io/example/nginx</code> the container registry portion is <code>quay.io/example</code>.</p>	<p>SAP requires this information to configure the Mission Control Agent to create event broker services using the correct container image name.</p>	<p>Connectivity Model for Kubernetes Deployments</p>
<p>If you are using a mirror container registry, what is the name of the image pull secret used to authenticate with it?</p>		<p>The Mission Control Agent and event broker service may require a secret in the namespace they're deployed in so they can pull images from the registry.</p>	<p>Downloading the Registry Credentials for Solace's Container Registry</p>
<p>Do you restrict outbound internet access? Is your environment configured to allow all outbound communication required for proper operation of advanced event</p>	<p>Restricted or Not restricted</p>	<p>If you restrict outbound access then you must read the documentation for details about how to allow access for advanced event mesh.</p>	<p>Connectivity Model for Kubernetes Deployments</p>

Question	Possible Answers	How SAP Uses This Information	Links to Related Documentation
mesh?			
If you have an HTTP/HTTPS proxy that is required for outbound communication, what is its URL? Does it require credentials? If yes, we will contact you to securely provide them.	For example: https://proxy-host or http://proxy-host	SAP needs this information to configure the Mission Control Agent to use your proxy.	Using HTTP/HTTPS Proxies

Messaging Connectivity

You must answer the following questions about your Messaging Connectivity.

Question	Possible Answers	How SAP Uses This Information	Links to Related Documentation
Do you intend to create event broker services that are accessed via the public internet, private networking, or both?	Public or Private or Both	SAP needs this information to configure the Mission Control Agent to create event broker services that match your requirements.	Exposing Event Broker Services to External Traffic

Feature Requirements

You must answer the following questions about your plans to use certain features that require special configuration.

Question	Possible Answers	How SAP Uses This Information	Links to Related Documentation
Do you intend to use MQTT Retain on any of your event broker services?	Yes or No	SAP may need to allocate more memory to the event broker service's pod for it to support MQTT Retain.	
Do you intend to provide a custom server certificate for your event broker services?	Yes or No	SAP needs this information to configure the Mission Control Agent to use your custom server certificates.	

Contact Information

You must provide a point of contact for each entry in the table below. SAP prefers a distribution list as the point of contact, though you can choose to provide individual contact details.

Contact Type	Distribution List or Contact Details
Event broker service incidents or issues.	
Event broker service upgrade notifications and scheduling.	
Release and maintenance notifications.	

On-Premises Deployment Questions

After answering the common questions, you must answer the following questions related to your on-premises deployment.

- [Cluster Questions](#)
- [Messaging Questions](#)
- [Storage Questions](#)

On-Premises Cluster

You must answer the following questions about your on-premises cluster.

Question	Possible Answers	How SAP Uses This Information	Links to Related Documentation
Which Kubernetes distribution do you use?	Rancher (RKE1) or Red Hat OpenShift (OCP) or VMware Tanzu Kubernetes (TKG)	The Kubernetes implementation and version you are using help SAP determine how to configure the Mission Control Agent.	On-Premises Kubernetes Distributions in Supported Kubernetes Versions
How many availability zones does your cluster have?	1 or 2 or 3	Availability zones in on-premises clusters can be achieved by having labels on worker nodes, separating them by different racks, power sources, or physical hosts. Any amount of physical separation between the primary, backup, and monitor nodes in a high availability event broker service increases the resiliency of that event broker service.	Availability Zones

Question	Possible Answers	How SAP Uses This Information	Links to Related Documentation
If your cluster has zones, what labels are used to identify which zone a worker node is in? What possible values are there for the zone label?	<code>topology.kubernetes.io/zone</code> or <code>failure-domain.beta.kubernetes.io/zone</code> or other	SAP requires the name to properly configure the Mission Control Agent so it can create event broker services.	

On- Premises Messaging Connectivity

You must answer the following questions about your on-premises Messaging Connectivity.

Question	Possible Answers	How SAP Uses This Information	Links to Related Documentation
What service will you use to access your event broker service?	<ul style="list-style-type: none"> • LoadBalancer • NodePort • ClusterIP 	SAP requires the service type to properly configure the Mission Control Agent so it can create event broker services.	Exposing Event Broker Services to External Traffic
If you are using ClusterIP, do you intend to use an external	Yes or	SAP must know if you are using	Using ClusterIP with External IP

Question	Possible Answers	How SAP Uses This Information	Links to Related Documentation
IP?	No	an external IP to properly configure the Mission Control Agent so it can create event broker services.	
If you are using an integrated load balancer (with the service type set to LoadBalancer) are there any annotations required to configure the service to use the load balancer provider?	Yes or No	SAP requires the service annotations to properly configure the Mission Control Agent so it can create event broker services.	Using an Integrated Load Balancer Solution

On-Premises Storage

You must answer the following questions about your on-premises storage.

Question	Possible Answers	How SAP Uses This Information	Links to Related Documentation
What storage back-end do you intend to use?	<ul style="list-style-type: none"> • Portworx • Ceph • Cinder (Openstack) • vSphere storage for Kubernetes 	<p>The storage back-end must provide advanced event mesh with volumes dynamically created with Persistent Volume Claims.</p> <p>Advanced event mesh supports the listed storage pro-</p>	<p>Dynamic Volume Provisioning</p> <p>Kubernetes Persistent Volumes</p>

Question	Possible Answers	How SAP Uses This Information	Links to Related Documentation
		<p>viders.</p> <p>If you are using a different storage provider, contact SAP to find out how we can support your deployment.</p>	
<p>Have you created a storage class based on our best practices?</p>	<p>Yes</p>	<p>Some storage class parameters need to be set to properly support the creation of event broker services as well as other features.</p>	<p>Resource Requirements for Kubernetes</p>
<p>Have you created a single storage class for the cluster, or are there separate ones for each zone? What are the names of your storage classes?</p>		<p>SAP requires the name to properly configure the Mission Control Agent so it can create event broker services.</p>	